

Kennebec Lake Water Level Comparisons 2006 to May 2017

Comparison of Annual Relative Lake Water Levels Highs and Lows (2006 to October 2016)

Source: Kennebec Lake: State, Care, Planning, 2010, updated March 2014 by Gray Merriam

Charts prepared by Noreen Dertinger, July 27, 2014, Updated July 2017

Head of Salmon River Gauge (summarized from daily measurements taken by Guenter Nitsche)

Highest levels of water can occur in March, April, May, November or December.

No data is available for comparison for the months of March and April.

High Water Levels in May (2006 to 2017)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
High in May (cm)	77	84	107	85	69	127	85	99	119	96	75	81

High Water Levels in November (2006 to 2016)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
High in Nov (cm)	133			88	105	61	71	110	69	100	

High Water Levels in December (2006 to 2016)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
High in Dec (cm)	117		117	82	158	95	87		80	100	

Lowest levels of water occur in July to September.

Low Water Levels in July (2006 to 2017)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Low in July (cm)	19	30		30	56	33	30	60	38	40	25	80

Low Water Levels in August (2006 to 2016)


	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Low in Aug (cm)	3		42	34	49	32	23	41	40	40	21

Low Water Levels in Sept (2006 to 2016)


	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Low in Sept (cm)	2		47	25	41	26	25	44	54	42	14

Kennebec Lake Water Level Comparisons 2006 to May 2017

High in May (2006 to 2017)




High in Nov (2006 to 2016)




Kennebec Lake Water Level Comparisons 2006 to May 2017

High in Dec (2006 to 2016)




Low in July (2006 to 2017)



Kennebec Lake Water Level Comparisons 2006 to May 2017

Low in Aug (2006 to 2016)



Low in Sept (2006 to 2016)

